

Nº 46442

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... DEC 20 1982
 Returned to applicant for correction..... JAN 19 1983
 Corrected application filed..... MAR 8 1983
 Map filed..... MAR 14 1983 under 46438

The applicant..... Nell J. Redfield Trust, c/o Quadriga of Utah
 P. O. Box 1087....., of..... Park City
 Street and No. or P.O. Box No. City or Town
 Utah, 84060....., hereby make..... application for permission to appropriate the public
 State and Zip Code No. waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Trustees: Betty Alyce Jones, Helen
 Jeane Jones, Iris G. Bremerton, Kenneth G. Walker, and Gerald C. Smith.

1. The source of the proposed appropriation is..... an underground water well.
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is..... 1.0..... second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet..... --
3. The water to be used for..... quasi-municipal
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated:..... --
 - (b) Stockwater, state number and kinds of animals to be watered:..... --
 - (c) Other use (describe fully under "No. 12. Remarks" (See No. 12, Remarks.).....
 - (d) Power:
 - (1) Horsepower developed..... --
 - (2) Point of return of water to stream..... --
5. The water is to be diverted from its source at the following point:..... located in the SW¼ of the SW¼ of
Describe as being within a 40-acre subdivision of public
 Section 18, Township 17 North, Range 19 East, MDB&M, and bearing North 3° 45'
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
 East 5,715 feet from the Southwest corner of Section 19, Township 17 North, Range
 19 East, MDB&M.
6. Place of use..... Sections 13, 14, 23, 24, 25, and 26, in Township 17 North, Range 18 East;
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
 and Sections 7, 8, 17, 18, 19, 20, and the North Half of Sections 29 and 30, all
 in Township 17 North, Range 19 East.
7. Use will begin about..... January 01..... and end about..... December 31....., of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Submersible pump in drilled and cased deep
State manner in which water is to be diverted, i.e. diversion structure, ditches and
 well. Ground-level valve house to direct water into master distribution system.
fumes, drilled well with pump and motor, etc.
9. Estimated cost of works..... Drill and equip well only: \$50,000.00 .

10. Estimated time required to construct works. Five (5) years. 400-foot deep well, 10 to 12-inch casing with submersible pump and motor. Protected from surface contamination.

11. Estimated time required to complete the application of water to beneficial use. Ten (10) years.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
This well is part of a 14-well system to supply a master water storage and distribution system serving a planned unit development of 4,000 units within the designated "place of use." The maximum water diversion requirement from each well will average 235 acre-feet per year, with a maximum overall project water diversion requirement of about 3,300 acre-feet per year.

By J.J. JOHNSON & ASSOCIATES, Agent
s/J.C. Heder
Park Meadows Plaza
Park City, Utah 84060

Compared kc/ b1 dcb/js

Protested

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ /deny the same, subject to the following limitations and conditions:

This application is denied on the grounds that there is no unappropriated water in the source, the granting thereof would affect existing water rights, and the granting thereof would not be in the public interest.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before.

Proof of completion of work shall be filed before.

Application of water to beneficial use shall be made on or before.

Proof of the application of water to beneficial use shall be filed on or before.

Map in support of proof of beneficial use shall be filed on or before.

Completion of work filed

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

IN TESTIMONY WHEREOF, I, PETER G. MORROS, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 29th day of MAY, A.D. 1984.
BY: HUGH RICCI
State Engineer